



SAFETY DATA SHEET

Parasolo 1-Part Pourable Sealant

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier	Product names	Parasolo 1-Part Pourable Sealant
1.2. Relevant identified uses of the substance or mixture and uses advised against	Relevant identified uses	Sealant
1.3. Details of the supplier of the safety data sheet	Supplier	Siplast, Inc. 14911 Quorum Drive, Ste. 600 Dallas, TX 75254 USA 1-800-922-8800
1.4. Emergency Telephone Number	Telephone	CHEMTREC: USA - 1-800-424-9300 International - (703) 527-3887

SECTION 2: Hazards identification

OSHA Regulatory Status

This material is considered as hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Classification of the substance or mixture

Physical Hazards	Not classified	
Health Hazards	Serious eye damage/eye irritation	Category 2A
	Skin sensitization	Category 1B
Environment Hazards	Not classified	

GHS label elements



Signal word

WARNING

Hazard statements

Causes serious eye irritation.
May cause an allergic skin reaction.

Precautionary statements

Prevention

Wash hands thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see first aid instructions on label). Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice/attention.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/ regional/ national/ international regulations.

Hazard(s) not otherwise classified (HNOC)

None Known.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Chemical name	CAS #	Percentage % (wt/wt)
Aminoethyl aminopropyl trimethoxy silane	1760-24-3	0.5-2
Vinyltrimethoxysilane	2768-02-7	0.5-2
Dibutyltin oxide	818-08-6	0.25-0.75

SECTION 4: First aid measures

Description of first aid measures

Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.
Skin contact	Remove contaminated clothing. If on skin, wash off immediately with soap and plenty of water for at least 15 minutes. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately call a POISON CENTER or doctor/physician.
Most important symptoms/effects, both acute and delayed	No specific symptoms noted.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.

SECTION 5: Fire fighting measures

Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Thermal decomposition may release irritating, corrosive and/or toxic gases, vapors and fumes.
Special protective equipment and precautions for firefighters	Use water spray or fog for cooling exposed containers. Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing. See SDS Section 8 (Exposure Controls/Personal Protection).

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Evacuate unnecessary personnel. Avoid breathing vapor, mist, or spray. Avoid contact with skin, eyes and clothing. Wear appropriate personal protective equipment (PPE) as detailed in Section 8.
Methods and materials for containment and cleaning up	Sweep up or vacuum up spillage and collect in suitable container for disposal. Dispose in accordance with regulations.

SECTION 7: Handling and storage
Precautions for safe handling

Use with adequate ventilation. Keep away from heat, sparks and open flame. - No smoking. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Apply good hygienic practices.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

SECTION 8: Exposure controls / personal protection
Occupational exposure limits
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

None of the components in this product is listed.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Methanol (CAS NO# 67-56-1)	PEL (TWA)	200 ppm
		260 mg/m ³
1,2-Ethylenediamine (CAS NO# 107-15-3)	PEL (TWA)	10 ppm
		25 mg/m ³
Tin, organic compounds (as Sn)	PEL (TWA)	0.1 mg/m ³

US. OSHA Table Z-2 (29 CFR 1910.1000)

None of the components in this product is listed.

US. OSHA Table Z-3 (29 CFR 1910.1000)

None of the components in this product is listed.

US. ACGIH Threshold Limit Values

Components	Type	Value
Methanol (CAS NO# 67-56-1)	TLV (TWA)	200 ppm (Skin; BEI)
	TLV (STEL)	250 ppm (Skin; BEI)
1,2-Ethylenediamine (CAS NO# 107-15-3)	TLV (TWA)	10 ppm (Skin)
Tin, organic compounds (as Sn)	TLV (TWA)	0.1 mg/m ³ (Skin)
	TLV (STEL)	0.2 mg/m ³ (Skin)

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Tin, organic compounds (as Sn)	REL (TWA)	0.1 mg/m ³ (except Cyhexatin) (Skin)

Ingredients with biological limit values

Components	Biological limit values	Duration
Methanol (CAS NO# 67-56-1)	15 mg/l (Urine)	Time: end of shift

Appropriate engineering controls

Provide eyewash station and safety shower. Provide adequate ventilation to minimize dust concentrations. Avoid all unnecessary exposure.

Respiratory equipment

Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Hand protection

Wear chemical-resistant gloves.

Eye protection	Wear safety glasses with side shields (or goggles).
Other protection	Wear suitable protective clothing.
General hygiene considerations	Wear suitable gloves and eye/face protection. . Keep away from food and drink. When using does not eat, drink or smoke. Wash hands before breaks and at the end of work.

SECTION 9: Physical and chemical properties

Appearance	
Form	No information available.
Color	No information available.
Odor	No information available.
Odor threshold	No information available.
pH	No information available.
Melting point	No information available.
Freezing point	No information available.
Initial boiling point and boiling range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	
Flammability limit – lower (%)	No information available.
Flammability limit – upper (%)	No information available.
Explosive limit - lower (%)	No information available.
Explosive limit - upper (%)	No information available.
Vapor pressure	No information available.
Vapor density	No information available.
Relative density	No information available.
Solubility(ies)	
Solubility (water)	No information available.
Partition coefficient (n-octanol/water)	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity	No information available.

SECTION 10: Stability and reactivity

Reactivity	No specific reactivity hazards associated with this product.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Hazardous polymerization will not occur.
Conditions to avoid	None under recommended storage and handling condition.
Incompatible materials	No information available.
Hazardous decomposition products	No dangerous decomposition products known.

SECTION 11: Toxicological information

Information on likely routes of exposure

Ingestion No information available.
Inhalation No information available.
Skin contact May cause an allergic skin reaction.
Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics No information available.

Delayed and immediate effects and also chronic effects from short- and long-term exposure No information available.

Numerical measures of toxicity			
Chemical Name	Oral LD ₅₀	Dermal LD ₅₀	Inhalation LC ₅₀
Aminoethyl aminopropyl trimethoxy silane (CAS NO# 1760-24-3)	2,995 mg/kg (rat)	> 2,000 mg/kg (rabbit)	No information available
Vinyltrimethoxysilane (CAS NO# 2768-02-7)	7.34 mL/kg (rat)	3,460 - 4,000 mg/kg (rabbit)	2773 ppm, 4h, vapor
Dibutyltin oxide (CAS NO# 818-08-6)	172 mg/kg (rat)	No information available	No information available

Skin corrosion/irritation No information available.
Serious eye damage/eye irritation Causes serious eye irritation.
Respiratory or skin sensitization
 Respiratory sensitization No information available.
 Skin sensitization May cause an allergic skin reaction.
Germ cell mutagenicity No information available.
Carcinogenicity IARC: occupational exposures to straight-run bitumens and their emissions during road paving are "possibly carcinogenic to humans" (Group 2B). Contains polycyclic aromatic compounds (PACs). Prolonged and/or repeated skin contact with certain PACs has been shown to cause skin cancer. Prolonged and/or repeated exposures by inhalation of certain PACs may also cause cancer of the lung and of other sites of the body.
Reproductive toxicity May damage fertility or the unborn child.
Specific target organ toxicity - single exposure No information available.
Specific target organ toxicity - repeated exposure May causes damage to organs through prolonged or repeated exposure.
Aspiration hazard No information available.

SECTION 12: Ecological information

Ecotoxicity

Numerical measures of toxicity

Chemical Name	Test	Species	Test Results
Aminoethyl aminopropyl trimethoxy silane (CAS# 1760-24-3)	Fish LC ₅₀	Bluegill (<i>Lepomis macrochirus</i>)	> 100 mg/L
	Crustacean EC ₅₀	Water flea (<i>Daphnia magna</i>)	87.4 mg/L, 48h
	Algae EC ₅₀	Green microalgae (<i>Pseudokirchneriella subcapitata</i>)	8.8 mg/L, 96h

	Algae NOEC	Green microalgae (<i>Pseudokirchneriella subcapitata</i>)	3.1 mg/L
Dibutyltin oxide (CAS# 818-08-6)	Fish LC ₅₀	Generic fish	1 mg/L, 48h
	Crustacean EC ₅₀	Water flea (<i>Daphnia magna</i>)	2 mg/L, 48h
	Algae EC ₅₀	Green algae (<i>Desmodesmus subspicatus</i>)	≥ 1.6 mg/L, 72h

Persistence and degradability There are no data on the degradability of this product.
Bioaccumulative potential No data available on bioaccumulation.
Mobility in soil No data available.
Other adverse effects Not available.

SECTION 13: Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/ regional/ national/ international regulations.

SECTION 14: Transport information

	DOT	IMDG	IATA
UN number	Not regulated	Not regulated	Not regulated
UN proper shipping name	Not dangerous goods	Not dangerous goods	Not dangerous goods
Transport hazard class(es)	Not regulated	Not regulated	Not regulated
Packing group	Not regulated	Not regulated	Not regulated
Environmental hazards	No	No	No
Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code Notes	Not applicable.		
Special Precaution(s)	Not applicable.		

SECTION 15: Regulatory information

US federal regulations This product is “Hazardous Chemical” as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Some of the components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
None of the ingredients are listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)
None of the ingredients are listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Methanol (CAS NO# 67-56-1)	Listed
1,2-Ethylenediamine (CAS NO# 107-15-3)	Listed

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Eye irritation, Skin sensitization, Reproductive toxicity, Specific target organ toxicity- Repeated Exposure.

SARA 313 (TRI reporting)

Methanol (CAS NO# 67-56-1)

Listed

Other federal regulations

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Safe Drinking Water Act (SDWA)

US State regulations.

US. New Jersey Worker and Community Right-to-Know Act

Methanol (CAS NO# 67-56-1)

Listed

US. Pennsylvania Worker and Community Right-to-Know Law

Methanol (CAS NO# 67-56-1)

Listed

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT):

This product contains no chemicals known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Revision date

08/31/2022

Version #

2

References

ACGIH: Documentation of the Threshold Limit Values and Biological Exposure indices

ECHA: European Chemicals Agency

IARC: International Agency for Research on Cancer

OECD: Organization for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.