

ANSI 2400.1 Format

**HMIG** 

## **Section 1. Product and Company Information**

#### **EMERGENCY CONTACTS**

Product Name: SFT Adhesive Call Chemtrec: USA: 1-800-424-9300

Siplast, Inc. International: (703) 527-3887

1000 Rochelle Blvd.Product Use:AdhesiveIrving, TX 75062-3940Chemical Family:MixtureTel: 800-922-8800SDS Prepared:4/05/2019

Fax: 469-995-2205

### **Section 2. Hazards Identification**

Hazard classification: Irritant Category 2 Label: Pictogram

Signal Words: Warning

Hazard Statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

**Precautionary Statements:** 

P273 Avoid release to the environment. Health 1

P280 Wear protective gloves/protective clothing/eye protection. Flammability **0** P302+P352 IF ON SKIN: Wash with plenty of soap and water. Reactivity **0** 

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes.

+ P338 Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container in accordance with local regulation.

R-phrases:

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitization by skin contact.

S-phrases

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S39 Wear eye/face protection.

Carcinogenicity: This product contains no ingredient listed as a carcinogen on California Proposition 65 list.

### Section 3. Composition/Information on Ingredients

#### **HAZARDOUS INGREDIENTS**

Ingredient Name	CAS Number	<u>Concentration</u>
Asphalt	8052-42-4	5-10%
Amino Silane	1760-24-3	1-3%

#### **Section 4. First Aid Measures**

First Aid for Skin: Clean product from affected area with Ethyl alcohol; then wash with soap and

water.

First Aid For Eyes: Flush with large amounts of water for at least 15 minutes. Consult a Physician if

ill effects or irritation occurs.

First Aid for Inhalation: An unlikely route of entry. Remove to fresh air. Consult a physician.

First Aid for Ingestion: An unlikely route of entry. Consult a physician.



## **Section 5. Fire Fighting Measures**

Special Fire Fighting

None. Full emergency equipment with self-contained breathing apparatus and full protective clothing should be worn by firefighters.

Extinguishing Media: Water, CO<sub>2</sub>, Dry Chemical, Foam.

Unusual Fire and Explosion Hazards: None.

Flashpoint:

Upper Flammable Limit:

Lower Flammable Limit:

Autoignition temperature:

Sensitivity to Impact:

Sensitivity to Static Discharge:

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Hazardous Combustion Products: Thermal decomposition may produce toxic fumes of Carbon

Monoxide, Carbon dioxide, Sulfur oxides and Hydrogen

## **Section 6. Accidental Release Measures**

Handling Precautions: Use personal protection recommended in section 8. Avoid eye, skin, and

clothing contact.

Cleanup: Collect spill with absorbent material such as cardboard, allow to cure and

place into a container approved for waste disposal.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

Section 7. Handling and Storage

Handling Precautions: Use personal protection recommended in section 8. Avoid eye, skin. and

clothing contact.

Prevention of fires and explosions: Product is not considered flammable under normal conditions, and product

is not considered explosive.

Storage Requirements: Store in a cool dry area (this product polymerizes when in contact with

moisture.)

## Section 8. Exposure Controls / Personal Protection

Hand protection: Wear impervious gloves such as vinyl to minimize contact with skin.

Eye protection: Wear safety glasses or goggles to avoid eye contact.

Skin protection: Wear impervious gloves such as vinyl to minimize contact with skin.

Environmental exposure control: No specific controls are needed.

### Section 9. Physical and Chemical Properties

Physical State: Water Solubility: Insoluble 2.30% % Volatile: Paste, mild mint scent VOC: Appearance and Odor: 31.17 g/l N/A°C (Tag closed cup) Freezing/Melting Point(°C): N/A Flash Point: Odor Threshold (ppm): N/A Autoignition Temperature: N/A Vapor Pressure: <1 pH: N/A Vapor Density (Air=1): Flash Point Method: Based on FP of the most

Density: 11.31 lbs./gal. (calculated) volatile component.

Specific Gravity: 1.36 LEL: N/A UEL: N/A



# Section 10. Stability and Reactivity

Stability: Considered Stable. Hazardous: Thermal decomposition
Conditions to Avoid: None known. Decomposition: may produce toxic fumes

Incompatible Materials: None known. Products: of CO and /or CO<sub>2</sub>.

### **Section 11. Toxicological Information**

Information below is based on Amino Si lane. (Refer to sections 2 and 3.)

Oral – Result: LD50 > 2,000 mg/kg. Remark: Very low order of toxicity. Skin Absorption – Result: LD50 > 2,000 mg/kg. Remark: Very low order of toxicity.

Skin Direct contact – Result: Slight irritation.

Eye Direct contact – Result: Severe irritation. Remark: Causes corneal injury.

Inhalation – Result: LC50 Not acutely Toxic.

Exposure Limits: Not applicable.

Sensitization:
Reproductive Toxicity:
No.
Mutagenicity:
No.
Teratogenicity:
Synergistic Products:
No.
None.

### Section 12. Ecological Information

No known applicable information.

### **Section 13. Disposal Considerations**

If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. This product becomes a firm synthetic rubber when cured. Please allow to cure before disposal.

## **Section 14. Transport Information**

Special Shipping Information None.

DOT Not regulated.
TDG Not available.
PIN Not available

#### Section 15. Regulatory Information

Rotterdam Convention (PIC) Annex III: listed (Tributyl tin compounds (impurities) <2 ppm) US Regulatory Information

OSHA 29 CFR 1910-1200 - Irritant.

TSCA – All components of this product are listed on TSCA Inventory.

CERCLA Reportable Quantity - Not applicable.



# Section 15. Regulatory Information (Continued)

SARA Title III:

Section 302 - Extremely Hazardous Substances - None.

Section 304 – Not applicable.

Section 311/312 - Immediate (acute) health hazard.

Section 313 – None.

RCRA - Refer to section 13.

California Proposition 65 This product does not contain any chemicals known by the State of

Carcinogens: California to cause cancer.

California Proposition 65 This product does not contain any chemicals known by the State of

Reproductive Toxins: California to cause reproductive harm.

WHIMS Classification - D2B

# **Section 16. Other Information**

Prepared in accordance with 29 CFR 1910.1200

This Product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR.

To the best of our knowledge, the information contained herein is accurate. However Siplast does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be handled with care. Although we have described herein all of the hazards to which we are currently aware, we cannot guarantee that these are the only hazards which exist.

Revised 4/05/2019 Page 4 of 4 Revision 02